Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.96 R31Fsmo



Soil Conservation Service

Bozeman, Montana



MONTANA WATER SUPPLY OUTLOOK

STA/3A

May 1, 1986.



Foreword

How Forecasts Are Made

Most of the annual streamflow in the Western United States originates as snowfall. This snowfall accumulates high in the mountains during winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Predictions are based on careful measurements of snow water equivalent at selected index points. Precipitation, temperature, soil moisture and antecedent streamflow data are viewed in conjunction with snowpack data to prepare runoff forecasts. This report presents a comprehensive picture of water supply outlook conditions for areas dependent upon surface runoff. It includes selected streamflow forecasts, summarized snowpack and precipitation data, reservoir storage data and narratives describing current conditions.

Streamflow forecasts are cooperatively generated by Soil Conservation Service and National Weather Service hydrologists. Forecasts become more accurate as more data affecting runoff becomes known. For this reason, forecasts are issued that reflect three future precipitation conditions — Below Normal, Average, and Above Normal. These forecasts are termed reasonable minimum, most probable, and reasonable maximum. Actual streamflow can be expected to fall between the lower and upper forecast values eight out of ten years.

Snowpack data are obtained by using a combination of manual and automated measurement methods. Manual readings of snow depth and water equivalent are taken at locations called snow courses on a monthly or semi-monthly schedule during the winter. In addition, snow water equivalent, precipitation, temperature, and other parameters are monitored on a daily basis and transmitted via radio telemetry to central data collection facilities. Both monthly and daily data are used to project snowmelt runoff.

For More Information

Copies of Monthly Water Supply Outlook Reports and other reports may be obtained from the states listed below. Because of the limited space, snow survey measurements are not published in monthly reports. An annual snow survey data summary is published by the Soil Conservation Service for each of the western states. Historical snow survey data may be obtained at those same offices.

STATE ADDRESS

Alaska 201 East 9th Ave., Suite 300, Anchorage, AK 99501-3687

Arizona 201 East Indianola, Suite 200, Phoenix, AZ 85012

Colorado 2490 West 26th Ave., Denver, CO 80211

(New Mexico)

Idaho 304 North 8th Street, Room 345, Boise, ID 83702

Montana 10 East Babcock, Room 443, Federal Building, Bozeman, MT 59715

Nevada 50 South Virginia Street, Third Floor, Reno, NV 89505

Oregon 1220 Southwest 3rd Ave., 16th Floor, Portland, OR 97204

Utah 4402 Federal Building, 125 South State Street, Salt Lake City, UT 84147

Washington 360 U.S. Court House, Spokane, WA 99201

Wyoming Federal Building, 100 East "B" Street, Casper, WY 82602

In addition to state reports, a Water Supply Outlook for the Western United States is published by the Soil Conservation Service and National Weather Service monthly, January through May. Reports may be obtained from the Soil Conservation Service, West National Technical Center, 511 Northwest Broadway, Room 547, Portland, OR 97209.

Published by other agencies:

Water Supply Outlook Reports prepared by other agencies include: California — Snow Survey Branch, California Department of Water Resources, P.O. Box 388, Sacramento, CA 98502; British Columbia — The Ministry of Environment, Water Investigations Branch, Parliament Buildings, Victoria, British Columbia, V8V 1X5; Yukon Territory — Department of Indian and Northern Affairs, Northern Operations Branch, 200 Range Road, Whitehorse, Yukon Territory, Y1A 3V1; Alberta, Saskatchewan, and N.W.T. — The Water Survey of Canada, Inland Waters Branch, 110-12 Avenue S.W., Calgary, Alberta, T3C 1A6.

Montana Water Supply Outlook

and

Federal - State - Private Cooperative Snow Surveys

issued by

Wilson Scaling Chief Soil Conservation Service Washington, D.C.


Released by

Glen H. Loomis State Conservationist Soil Conservation Service Bozeman, Montana

Prepared by

Phillip E. Farnes Snow Survey Supervisor Soil Conservation Service 10 E. Babcock Bozeman, Montana 59715

Programs and assistance of the United States Department of Agriculture are available without regard to race, creed, color, sex, age, or national origin.



GENERAL OUTLOOK

SUMMARY:

Snowpacks in the northern two-thirds of the state are well below average while those in the southern drainages are generally near to a little below average. Considerable melt at low and mid-elevations in April combined with below average mountain precipitation has caused snowpacks to deteriorate in most areas that were already below average. Areas that were near average last month generally had near to above average mountain precipitation and maintained snowpacks near April 1 levels. Runoff during April was above average for most drainages. Shortages in irrigation water supplies can be expected to develop by late June to early July over most of the state on drainages not having stored water.

SNOWPACK:

Snowpack levels have dropped in most areas because of melt and below average precipitation during April. The northern half of the state has well below average snowpacks. Below average snowpack covers most of the remaining area except for near average conditions in areas near the border in southwest and southern Montana. Snowpack in Wyoming drainages that flow into Montana are generally near to above average.

PRECIPITATION:

Mountain precipitation was only 50 to 80 percent of average in the Kootenai, Flathead, Sun, Teton, Marias, St. Mary and Milk River drainages in April. Most other drainages had near to a little above average April precipitation except for the Jefferson, Madison, and part of the Yellowstone River headwaters where precipitation was above average.

RESERVOIRS:

Most reservoirs west of the Divide have above average levels of storage. East of the Divide, storage in most reservoirs is above average except for below average storage in Swift, Pishkun, Deadman's Basin, Bair, and Tongue which are irrigation reservoirs, and Ennis Lake and Mystic Lake which are hydroelectric projects.

STREAMFLOW:

Runoff during April was above average because of snowmelt and rainfall. May through September runoff is forecast well below average for most streams and rivers in the northern third of Montana, below average for the middle third, and a little below average for most drainages in southwest Montana and those with headwaters near the Montana-Wyoming border or in Wyoming. Shortages in irrigation water supplies can be expected on most drainages in the northern two-thirds of the State by late June to early July. Those with headwaters near or in Wyoming can look for a little below but generally adequate irrigation supplies.

PEAK FLOWS:

Peak snowmelt flows are predicted to be below average on all Columbia River drainage streams and should occur near or soon after mid-May. Some low elevation streams have already peaked. In the Missouri River basin, peaks are forecast a little below average from Missouri headwater streams and below average on downstream tributaries. Streams in the headwaters are expected to peak in late May while downstream tributaries may peak a little earlier. The Yellowstone River and its tributaries are forecast to peak at about average levels and reach their peak snowmelt runoff in early June.


The printer published the February 1, 1986 Mountain Snow Water Equivalent Map on page 27 of the April 1, 1986 Water Supply Outlook. We apologize for any inconvenience this may have caused. If you need the correct April 1 Mountain Snow Water Equivalent Map, let us know and we will be happy to send a copy. Write or call us at the following address and phone:

SCS-Snow Surveys
Room 443, Federal Building
10 East Babcock St.
Bozeman, MT 59715
Commercial: (406)587-6843

FTS: 585-4843

Kootenai Basin

Mountain snowpack* (inches)




* Kootenai in Montana

Maximum Average ————

Minimum Current

Precipitation* (percent of normal)



*Based on selected stations

Monthly precipitation

Year to date precipitation

WATER SUPPLY

Snowpack percentages continue to deteriorate in the Montana drainages and remain well below average. Snow in Canada is a little better but still below average. April precipitation was about 80 percent of average in mountain areas. April runoff was above average. Streamflows are forecast well below average on smaller tributaries and a little better for the Kootenai River.

KOOTENAI RIVER BASIN in Montana


FORECAST POINT	FORECAST	20 YR. AVE.	MOST PROBABLE	MOST PROBABLE	REAS. MAX.	REAS. MIN.	PEAK FLOW	PEAK	LOW FLOW	FOM
	PERIOO	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	(CFS)	OATE	(CFS)	OATE
OOTENAI RIVER blw Libby Oam #	MAY-JUL	5569.0	4760.0	85	100	70				
	MAY-SEF	6590.0	5720.0	86	100	74				
ISHER RIVER near Libby	MAY-JUL	178.0	98.0	55	84	26				
	MAY-SEP	194.0	109.0	56	85	27				
AAK RIVER mear Troy	MAY-JUL	395.0	240.0	60	85	37				
	MAY-SEP	418.0	253.0	60	84	37				
OOTENAI RIVER at Leonia *	MAY-JUL	6734.0	5320.0	79	99	59				
	MAY-SEP	7838.0	6250.0	79	99	61				
	MUL-YAM	5288.0	4175.0	78	100	58				

	RESERVOIR STORAGE	(1000AF) HATERSHED S			OWPACK AN	ALYSIS		
RESERVOIR	USEABLE I CAPACITYI	## US THIS YEAR	EABLE STO LAST YEAR	RAGE XX	WATERSHEO	NO. COURSES AVE.O	THIS YEAR	
LAKE KOOCANUSA	5748.0	2583.0	2167.0	1864.0		22	98	83
					KOOTENAI 10 MONTANA KOOTENAI 35 BONNERS FERRY	31 53	65 75	56 65

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.

Flathead Basin

Mountain snowpack* (inches)




* Flathead

Maximum Average ————

Minimum Current

Precipitation* (percent of normal)



*Based on selected stations

Monthly precipitation

Year to date precipitation

WATER SUPPLY OUTLOOK:

Snowpack deteriorated in most drainages during April. Some increase in water content was noted at higher elevation sites but most locations showed considerable melt. Mountain precipitation was also below average in April. Runoff was above average last month. May through September streamflows are forecast to be below average in all drainages.

FLATHEAD RIVER BASIN


FORECAST POINT	FORECAST	AVE.	MOST PROBABLE			REAS. MIN.	PEAK FLOW	PEAK	LOH FLOH	LOH
	PERIOO	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	(CFS)	OATE	(CFS)	DATE
F FLATHEAD mear Columbia Falls	MAY-JUL	1562.0	1060.0	67	85	51				
	MAY-SEP	1742.0	1210.0	69	86	52				
	MUL-YAM	1301.0	885.0	68	84	52				
F FLATHEAO near West Glacier	MAY-JUL	1546.0	1050.0	67	87	49				
	MAY-SEP	1702.0	1170.0	68	87	51				
	HUL-YAH	1287.0	875.0	67	86	50				
F FLATHEAD near Columbia Falls #	MAY-JUL	1893.0	1380.0	72	90	56				
	MAY-SEP	2029.0	1500.0	73	90	58				
	MUL-YAM	1636.0	1195.0	73	95	51				
ATHEAO near Columbia Falls *	MAY-JUL	5117.0	3480.0	68	85	51				
	MAY-SEP	5604.0	3900.0	69	86	54				
	MUL-YAM	4317.0	2975.0	68	88	50				
HAN RIVER near Big Fork	HAY-JUL	514.0	405.0	78	97	61				
	MAY-SEP	599.0	483.0	80	99	63				
ATHEAD RIVER near Polson #	MAY-JUL	5956.0	4190.0	70	86	54				
	MAY-SEP	6522.0	4620.0	70	89	53				
	MUL-YAM	5002.0	3500.0	69	89	51				

RES	ERVOIR STORAGE		(1000AF)	1 ! !	WATERSHEO	SNOWPACK AN		
RESERVOIR	USEABLE CAPACITY		EABLE STOI LAST YEAR	RAGE ** 1 AVE. 1	WATERSHEO	ND. COURSES AVE.D		R AS % OF
CAMAS (4)	45.2	36.0	26.2	27.9	NORTH FORK FLATHEAD	14	68	63
MISSION VALLEY (8)	100.0	61.5	43.4	49.3 1	MIOOLE FORK FLATHEAO	11	74	67
HUNGRY HORSE	3451.0	2729.0	2067.0	1982.0 1	SOUTH FORK FLATHEAD	11	80	74
FLATHEAD LAKE	1791.0	944.B	845.0	932.7 1	STILLWATER-WHITEFISH	9	69	58
				1	SHAN	10	84	74
				1	LITTLE BITTERROOT	6	76	42
				1	FLATHEAD	41	76	67

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for $1961{-}80~\text{period.}$

Clark Fork Basin above Missoula


Mountain snowpack* (inches)



* Clark Fork above Missoula



Precipitation* (percent of normal)



*Based on selected stations



WATER SUPPLY OUTLOOK:

April precipitation was a little above average in mountain areas. Also, considerable melt occurred at low and mid-elevations reducing the already low snowpacks even further. April runoff was above average. Streamflows this summer are forecast below average for all drainages. Shortages in irrigation supplies are expected by late June or early July.

STREAMFLOW FORECASTS


FORECAST POINT	FORECAST PERIOD	20 YR. AVE. (1000AF)		MOST FROBABLE (% AVE.)		REAS. MIN. (2 AUF.)	PEAK FLDW (CES)	PEAK	LOW FLOW (CFS)	LOW
DULTON RESERVOIR Inflow (MG)*	MAY-JUL	223.0	155.0	69	95	44				
	MUL-YAM	197.0	140.0	71	96	46				
ARM SPRINGS at Meyers Dam *	HAY-JUL	35.3	28.5	80	105	57				
	MAY-SEP	44.0	36.0	81	107	57				
LINT CREEK near Southern Cross *	HAY-JUL	13.0	10.4	80	115	46				
	MAY-SEP	16.0	12.8	80	113	44				
LINT CREEK below Boulder Creek *	MAY-JUL	52.0	42.8	82	117	48				
	MAY-SEP	68.0	56.2	82	118	47				
OHER HILLOH CR RES Inflow *	MAY-JUL	12.4	7.8	62	97	24				
	MAY-SEP	13.2	8.5	64	98	30				
• FK. ROCK CRK near Philipsburg	HAY-JUL	66.0	54.4	82	106	59				
	MAY-SEP	74.0	61.0	82	105	59				
EVAGA CREEK near Finn	HAY-JUL	17.0	9.8	57	94	24				
	MAY-SEP	19.0	11.0	57	95	21				
LACKFOOT RIVER near Bonner	HAY-JUL	786.0	490.0	62	83	45				
	MAY-SEP	881.0	575.0	65	83	47				
	HUL-YAM	664.0	425.0	64	82	46				
LARK FORK RIVER above Milltown *	MAY-JUL	601.0	450.0	74	110	40				
	MAY-SEP	709.0	540.0	76	111	41				
	MUL-YAM	490.0	368.0	75	110	40				
LARK FORK RIVER above Missoula	MAY-JUL	1387.0	940.0	67	93	43				
	MAY-SEP MAY-JUN	1590.0 1154.0	1120.0 790.0	70 68	95 94	45 44				

	RESERVOIR STORAGE		(1000AF)	 	HATERSHED S	NOWPACK AN	ALYSIS	
RESERVOIR	USEARLE I CAPACITY I	** USE THIS YEAR	ABLE STORA LAST YEAR	AGE ** I AVE. I	WATERSHED	NO. COURSES AVE.O	THIS YEA	AR AS % OF
GEORGETOWN LAKE	31.0	27.1	26.0	23.7	CLARK FORK ab BLACKFOOT	43	119	77
LOWER WILLOW CREEK	4.9	5.0	3.1	2.7	BLACKF00T	21	92	65
NEVAGA CREEK	12.6	12.5	9.2	10.2	CLARK FORK above MISSOUL	A 58	112	74

*Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.

Clark Fork Basin below Missoula


Mountain snowpack* (inches)



* Bitterroot

Maximum Average — Minimum Current •

Precipitation* (percent of normal)



*Based on selected stations

Monthly precipitation Year to date precipitation

WATER SUPPLY OUTLOOK:

Even though April precipitation was near average in the mountains, melt at low and mid-elevations has reduced snowpack levels. April runoff was above average. May through September runoff is forecast to be below average. Shortages in irrigation water supplies can be expected by late June on smaller drainages and by early to mid-July on the larger streams.


FORECAST POINT	FORECAST	AVE.			REAS.		PEAK FLOW	PEAK	LON FLON	LOW
	PERIOO	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE+)	(LFS)	DATE	(CFS)	OATE
LARK FORK RIVER above Missoula	MAY-JUL	1387.0	940.0	67	93	43				
	MAY-SEP	1590.0	1120.0	67 70	95	45				
		1154.0	790.0		94	44				
. F. E:ITTERROOT RIVER or Conner *	MAY-JUL	146.0	113.0	77	103	53				
	MAY-SEP	160.0	122.0	76	101	51				
ITTERROOT RIVER near Darby	HAY-JUL	476.0	366.0	76	102	52				
	MAY-SEP	524.0	403.0	76	100	54				
	MUL-YAM	408.0	315.0	77	101	53				
KALKAHO CREEK near Hamilton	HAY-JUL	46.0	38.0		96	70				
	MAY-SEP	53.0	43.5	82	94	70				
URNT FORK CR or Stevensville *	MAY-JUL	30.0	23.8	79	110	50				
	MAY-SEP	35.0	27.5	78	103	54				
ITTERROOT RIVER at Missoula #	MAY-JUL	1238.0		77	93	61				
	MAY-SEP	1358.0		78	95	63				
	MUL-YAM	1046.0	825.0	78	96	62				
LARK FORK RIVER below Missoula	MAY-JUL	2625.0		72	90	54				
	MAY-SEP	2948.0	2190.0	74	92	56				
	MUL-YAM	2200.0	1615.0	73	92	54				
ARK FORK RIVER at St. Regis	MAY-JUL	3451.0	2360.0		88	48				
	MAY-SEP	3880.0	2740.0	70	91	51				
	MUL-YAH	2896.0	2020.0	69	94	46				
LARK FORK RIVER near Plains *	MAY-JUL	9739.0	6430.0	66		50				
	MAY-SEP	10821.0	7240.0	66		51				
	MUL-YAH	8127.0	5405.0	66	82	52				
HOMPSON RIVER near Thompson Falls	MAY-JUL	189.0	120.0	63		40				
	MAY-SEP	217.0	140.0	64	86	43				
ROSPECT CREEK at Thompson Falls	MAY-JUL	104.0	75.0	72	91	53				
	MAY-SEP	113.0	85.0	75	93	58				
ARK FORK at Whitehorse Rapids *	MAY-JUL	10711.0				52				
	MAY-SEP	11935.0	7920.0	66	79	53				
	MAY-JUN	8930.0	5894.0	66	79	53				

	RESERVOIR STORAGE				HATERSHED SM	IOME:ACK ANA		
RESERVOIR	USEAGLE CAFACITY 	THIS	AELE STOR LAST YEAR	AGE **	WATERSHEO	NO. COURSES AVE.D	THIS YEAR	
FAINTED ROCKS LAKE		NO REPO	ıkt	·	CLARK FORK above MISSOUL	58	112	74
NOXON RAPIOS	335.0	328.5	138.0	250.1	BITTERROOT	21	94	72
COMO	34.9	28.4	20.4	18.1	LWR CLARK FK blw MISSOUL	18	72	65
					BITTERROOT & LWR C.F.	38	81	69
					CLARK FORK TOTAL	90	91	70
					FLATHEAO	41	76	67
					PENO O'REILLE	126	84	69

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.

Jefferson Basin


Mountain snowpack* (inches)



Maximum _____ Average _____

Minimum Current •

Precipitation* (percent of normal)



*Based on selected stations

Monthly precipitation

Year to date precipitation

WATER SUPPLY OUTLOOK:

Above average mountain precipitation fell in April. Melt at low and mid-elevations has left snowpacks at about the same level as a month ago. April runoff was above average. May through September runoff is forecast to be a little below average on most drainages. Irrigation water supplies should be average or a little below average.

JEFFERSON RIVER BASIN

STREAMFLOW FORECASTS

FORECAST POINT	FORECAST	20 YR. AVE.	MOST PROBABLE	MOST PROBABLE	REAS.	REAS. MIN.	PEAK FLOH	PEAK	LOH FLOH	FOH
	PERIOO	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	(CFS)	OATE	(CFS)	OATE
EO ROCK RIVER near Monida *	MAY-JUL	73.5	65.0	88	129	48				
	MAY-SEP	80.7	72.0	89	131	47				
EAVERHEAO RIVER near Grant ≖	MAY-JUL	99.0	89.0	89	130	49				
	MAY-SEP	120.0	107.0	89	129	49				
EAVERHEAO RIVER at Barratts *	MAY-JUL	134.0	120.0	89	130	49				
	MAY-SEP	162.0	145.0	89	130	49				
UBY RIVER near Alder	MAY-JUL	75.0	66.0	88	111	67				
	MAY-SEP	92.0	80.0	86	111	63				
IG HOLE RIVER near Melrose	MAY-JUL	614.0	525.0	85	115	56				
	MAY-SEP	674.0	577.0	85	116	56				
ILLOW CREEK near Harrison	HAY-JUL	15.3	13.0	84	124	46				
	MAY-SEP	17.5	15.0	85	126	46				


	RESERVOIR STORAGE	(1000AF)			WATERS	WATERSHEO SNOWPACK ANAL			
RESERVOIR	USEAPLE 1 CAPACITY!	** USE THIS YEAR	A8LE STOR LAST YEAR	AGE ** I	WATERSHEO	NO. COURSES AVE.O		AR AS % OF	
LIMA	84.0	67.2	67 • 6	54.7	BEAVERHEAO	28	163	99	
CLARK CANYON	255.6	164.8	163.3	157.5	RUBY	13	135	84	
RUBY RIVER	38 • 8	40 • 1	37.8	35.2	8IGHOLE	28	131	89	
				į	BOULDER	14	127	67	
				1	JEFFERSON	65	141	88	

*Corrected for upstream diversions or changes in reservoir storage.

Average is for 1961-80 period.

Madison Basin


Mountain snowpack* (inches)








Precipitation* (percent of normal)



*Based on selected stations



WATER SUPPLY OUTLOOK:

Mountain precipitation was well above average in April. Lower elevation snowpacks had some melt during the past month, producing above average runoff. May through September runoff is forecast near average on the Madison. However, runoff from streams flowing into the lower Madison is expected to be below average.

MADISON RIVER BASIN


FORECAST POINT	FORECAST PERIOO	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)		REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOH (CFS)	PEAK OATE	LOH FLOH (CFS)	LOH OATE
MAOISON RIVER near Grayling #	MAY-JUL	332.0	354.0	106	125	89				
	MAY-SEP	440.0	470.0	106	122	92				
MAOISON RIVER near McAllister *	MAY-JUL	568.0	540.0	95	122	68				
	MAY-SEP	743.0	700.0	94	116	72				

	RESERVOIR STORAGE		(1000AF)	 	I HATERSHEO SNOHFACK ANALYSIS I				
RESERVOIR	USEABLE I CAPACITYI I	** USE THIS YEAR	ABLE STOR LAST YEAR	AGE ** I	WATERSHED	NO. COURSES AVE.O	THIS YEA	R AS % OF AVERAGE	
ENNIS LAKE	41.0	33.0	30.3	36.3	MAOISON above HEBGEN	13	141	103	
HEBGEN LAKE	377.5	289.3	289.6	229.7	LOHER MADISON	19	136	80	
				i	MADISON	32	138	89	

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-B0 period.

Gallatin Basin











Precipitation* (percent of normal)



*Based on selected stations



WATER SUPPLY OUTLOOK:

Mountain precipitation during April was about average. However, melt at lower elevations has left snowpacks below average in the upper Gallatin and well below average in the lower tributaries. April runoff was above average. Streamflows for May through September are forecast below average on all drainages. Shortages of irrigation water supplies can be expected by early July.

GALLATIN RIVER BASIN

STREAMFL	∩u ∣	FORFCA	STS

FORECAST POINT	FORECAST	20 YR.	MOST PROBABLE	MOST PROBABLE	REAS.	REAS. MIN.	PEAK FLOW	PEAK	LOH FLOH	LOH
	PERIOD	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	(CFS)	DATE	(CFS)	OATE
ALLATIN RIVER near Gateway	MAY-JUL	433.0	325.0	75	90	60				
	MAY-SEP	514.0	385.0	74	93	57				
& H FK, HYALITE CRK nr Bozeman ≖	HAY-JUL	22.4	17.5	78	94	63				
	HAY-SEP	26.2	20.7	79	95	61				
YALITE CREEK near Bozeman ≭	MAY-JUL	35.9	27.3	76	100	53				
	MAY-SEP	42.0	32.3	76	100	55				
GALLATIN RIVER at Logan	MAY-JUL	452.0	300.0	66	94	38				
neeman naven oo eogon	MAY-SEP	541.0	362.0	66	93	41				


	RESERVOIR STORAGE		(1000AF)	 	HEO SNOWPACK ANALYSIS				
RESERVOIR	USEABLE I CAPACITYI	** USE THIS YEAR	ABLE STOR	 AGE ** AVE	WATERSHEO	NO. COURSES AVE.D	THIS YE	AR AS % OF	
MIOOLE CREEK	8.0	6.8	4.7	4.4 1	UPPER GALLATIN	13	129	78	
					EAST GALLATIN	12	100	58	
				1	GALLATIN	22	115	67	

^{*}Corrected for upstream diversions or changes in reservoir storage.

Average is for 1961-80 period.

Missouri Basin


Mountain snowpack* (inches)



* Missouri Toston to Fort Peck



Precipitation* (percent of normal)



*Based on selected stations



WATER SUPPLY OUTLOOK:

Snowpack conditions deteriorated during April because of melt even though mountain precipitation was a little above average. April runoff was above average. Spring and summer streamflows are forecast below average on most drainages. Shortages in irrigation water supplies can be expected to start developing by late June or early July.

MISSOURI RIVER BASIN


FORECAST POINT		20 YR. AVE.	PROBABLE	PROBABLE	REAS. MAX.	MIN.	FLOW	PEAK	LON FLON	LOH
	PERIOD	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	(CFS)	OATE	(CFS)	DATE
iISSOURI RIVER at Toston ≖	MAY-JUL	1849.0	1570.0	0.4	440					
IISSUURI RIVER ST 105ton #	MAY-SEP				118 118	60 60				
		22000	100 110	•	110	ov.				
HEEP CREEK or White Sulphur Spgs.	MAY-JUL	17.4	14.5	83	115	52				
	MAY-SEP	20.2	17.0	84	114	54				
ELT CREEK near Monarch	MAY~JUL	114.0	89.0	78	112	44				
	MAY-SEP	126.0	99.0	78	110	47				
					•••	"				
ISSOURI RIVER at Fort 8enton ■	MAY-JUL	2928.0	2345.0	80	120	52				
	MAY-SEP	3440.0	2796.0	81	121	52				
ISSOURI RIVER at Virgelle #	MAY-JUL	3418.0	2735.0	80	123	50				
	MAY-SEP	3960.0	3144.0	79	123	49				
ISSOURI RIVER near Landusky *	MAY-JUL	3707.0	2970.0	80	126	40				
20000K2 KIVEK HEBI EBIQUSKY =	MAY-SEP	4303.0	3348.0	77	123	48 47				
	521	100010	334010	//	123	7/				
.F. MUSSELSHELL near Delpine	MAY-JUL	4.3	3.8	88	140	47				
	MAY-SEP	5.3	4.7	88	132	38				
.F. MUSSELSHELL above Martinsdale	MAY-JUL	52.7	45.9	87	127	47				
	MAY-SEP	56.5	48.2	85	127	42				
ISSOURI RIVER below Fort Peck *	MAY-JUL	3711.0	2930.0	78	131	46				
	MAY-SEP	4244.0	3300.0	77	129	43				
	561	124410	330010	//	127	43				
AKE SAKAKAHEA Inflow ≖	MAY-JUL	9708.0	8925.0	91	135	65				
	MAY-SEP	10855.0	10204.0	94	137	64				


	RESERVOIR STORAGE				I HATERSHED SHOWFACK ANALYSIS					
RESERVOIR		** USEABLE STORAGE **		RAGE **	. HATERSHED	NO. COURSES	THIS YEAR	R AS % DF		
	l		YEAR	AVE,		AVE.0	LAST YR.	AVERAGE		
CANYON FERRY LAKE	2043.0	1540.0	1536.0	1499.0	MISSOURI HEADWATERS	104	134	84		
HELENA VALLEY	9.2	8.4	7.7	7.6	WEST SIDE MISSOURI	11	94	61		
LAKE HELENA	10.4	10.9	10.9	9.8	SMITH-8ELT	11	103	74		
HAUSER & HELENA	61.9	63.0	63.0	59.3	MISSOURI MAINSTEM	22	99	69		
HOLTER LAKE	81.9	80.5	74.9	70.8	SUN-TETON-MARIAS	16	72	61		
SMITH RIVER	10.6	10.5	11.5	9.1	JUDITH-MUSSELSHELL	17	87	65		
NEMLAN CREEK	12.4	11.2	9.8	9.1	MISSOURI above FORT PECK	144	116	78		
BAIR	7.0	4.3	3.2	6.2	MILK HEADWATERS	4	36	38		
MARTINSDALE	23.1	19.7	8.1	12.1	BEAR PAN	6	0	0		
DEADMAN'S BASIN	72.2	44.4	54.0	54.3	MILK RIVER	10	35	31		
FORT PECK LAKE	18.9	14.4	15.6	15.2	MISSOURI in MONTANA	152	115	77		
					MISSOURI blw YELLOWSTONE	252	137	87		

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.

Sun, Teton and Marias Basins

Mountain snowpack* (inches)





OCT NOV DEC JAN FEB MAR APR MAY

Precipitation* (percent of normal)

*Based on selected stations

60

40 -

20

Maximum ____ Average ————

Current

Monthly precipitation

Year to date precipitation

WATER SUPPLY OUTLOOK:

Minimum

Snowpack conditions continue to deteriorate because of melt at low and mid-elevations. Mountain precipitation was well below average in April but runoff was near to above average. May through September runoff is forecast well below average on all drainages. Irrigation water shortages can be expected by late June on most streams not having stored water.

SUN-TETON-MARIAS RIVER BASINS


FORECAST POINT	FORECAST	20 YR. AVE.	MOST PROBABLE	MOST PROBABLE	REAS.	REAS. MIN.	PEAK	PEAK	FOM	FOM
LONECH21 LOIMI	PERIOO	(1000AF)	(1000AF)	(% AVE.)	(% AVE.)	(% AVE.)	FLOW (CFS)	DATE	(CFS)	DATE
UN RIVER at Gibson Oam ≖	MAY-JUL	489.0	335.0	68	93	44				
	MAY-SEP	538.0	373.0	69	93	45				
O MEDICINE CREEK near Browning *	MAY-JUL	210.0	144.0	68	107	30				
	MAY-SEP	222.0	153.0	68	105	33				
OGER CREEK near Browning	MAY-JUL	103.0	77.5	75	114	37				
	MAY-SEP	120.0	92.0	76	112	42				
IFT RESERVOIR Inflow or Oupuyer	HAY-JUL	67.7	52.0	76	115	38				
	MAY-SEP	79.7	62.0	77	114	41				
IT BANK CREEK at Cut Bank	HAY-JUL	98.0	63.0	64	102	27				
	MAY-SEP	104.0	70.0	67	103	32				
RIAS RIVER near Shelby	HAY-JUL	449.0	295.0	65	104	28				
	MAY-SEP	473.0	320.0	67	104	32				

	RESERVOIR	STORAGE	(1000AF)] 	I HATERSHED SNOHPACK ANALYSIS I				
RESERVOIR		USEABLE CAPACITYI	** USEA THIS YEAR	BLE STOR LAST YEAR	AGE XX I	WATERSHEO	NO. COURSES AVE.O		EAR AS % OF	
GIBSON		99.1	78.6	73.8	50.6		11	64	53	
PISHKUN		32.0	21.9	21.5	26.4	MARIAS	6	79	68	
WILLOW CREEK		32.2	31.2	14.2	23.7	SUN-TETON-MARIAS	16	72	61	
LOWER TWO MEDICINE LAKE			NO REPOR	T	1					
FOUR HORNS LAKE			NO REPOR	T	1					
SWIFT		30.0	14.0	13.7	18.3					
LAKE FRANCES		112.0	103.8	27.6	76.9					
LAKE ELWELL (TIBER)		1347.0	813.1	717.0	569.5 I					

^{*}Corrected for upstream diversions or changes in reservoir storage.

Average is for 1961-B0 period.

St. Mary and Milk Basins



WATER SUPPLY OUTLOOK:

Snowpacks continued to deteriorate in April because of melt and below average mountain precipitation. Runoff from May through September is forecast below average on all streams. Irrigation water supplies are expected to be well below average on all streams not having stored water.

ST. MARY and MILK RIVER BASINS


FDRECAST PDINT	FDRECAST PERIDD	20 YR. AVE. (1000AF)	MOST PROBABLE (1000AF)	MOST PRDBABLE (% AVE.)	REAS. MAX. (% AVE.)	REAS. MIN. (% AVE.)	PEAK FLOW (CFS)	PEAK DATE	LOH FLOH (CFS)	LD# DATE
	VAV 1111	404.0	70.0	/7	00	A.F.				
SWIFTCURRENT CREEK at Sherburne *	MAY-JUL MAY-SEP	104.0 121.0	70.0 82.0	67 67	89 92	45 44				
GT. MARY'S RIVER near Babb ≭	MAY-JUL	394.0	254.0	64	82	46				
	MAY-SEP	465.0	302.0	64	83	47				
TILK RIVER at Eastern Crossing	MAY-SEP	55.4	27.1	48	96	32				
4ILK RIVER at Eastern Crossing ★	MAY-SEP	199.0	211.0	106	119	102				

ı	RESERVDIR STDRAGE		(1000AF)		WATERSHED S	SNDWPACK ANALYSIS			
RESERVOIR	USEABLE I CAPACITYI	** US THIS YEAR	EABLE STDR LAST YEAR	AGE ##	WATERSHED	NO. CDURSES AVE.D		YEAR AS % DF	
LAKE SHERBURNE	64.3	4.9	8.8	21.6	MILK HEADWATERS	4	36	38	
FRESNO	127.0	104.6	40.5	103.3	BEAR PAW	6	0	0	
BEAVER CREEK	3.5	3.3	1.1	2.6	MILK RIVER	10	35	31	
NELSON	66.8	59,9	24.0	43.9	ST. MARY	11	52	48	
					ST. MARY and MILK	17	52	46	
					8DW RIVER in ALBERTA	11	129	120	
					DLDMAN RIVER in ALBERTA	2	81	85	

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.

Yellowstone Basin


Mountain snowpack* (inches)



* Yellowstone above Big Horn



Precipitation* (percent of normal)



*Based on selected stations

Monthly precipitation Year to date precipitation


WATER SUPPLY


Snowpack in those drainages in Montana showed some deterioration during April because of melt even though mountain precipitation was a little above average. April runoff was above average. May through September runoff is forecast near to a little below average on most streams. Streams flowing out of the Crazy Mountains are predicted to have below average runoff.

FORECAST POINT	PERIOO	AVE. (1000AF)	(1000AF)	PROBABLE (% AVE.)	(% AVE.)	MIN. (% AVE.)	FLOW (CFS)	DATE	LOH FLOH (CFS)	OATE
TELLOWSTONE at Lake Outlet										
(ELLOWSTONE at Corwin Springs	HAY-JUL				110	78				
	MAY-SEP	1944.0	1820.0	93	110	78				
ELLOWSTONE near Livingston	HAY-JUL	1860.0	1705.0	91	108	76				
ů	MAY-SEP	2269.0	2100.0	92	109	77				
0.000 0.000										
BOULDER RIVER at Big Timber		353.0				68				
	MAY-SEP	385.0	340.0	88	109	67				
STILLWATER RIVER or Absarokee *	MAY-JUL	502.0	500.0	99	126	74				
	MAY-SEP		600.0	99	121	77				
CLARKS FORK RIVER near Belfry	HAY-JUL		575.0	114	133	96				
	MAY-SEP	606.0	667.0	110	129	91				
OONEY RESERVOIR Inflow	MAY-, HII	40.5	31.2	77	106	49				
DUNCT RESERVOIR IN 10#	MAY-SEP	51.5	40.3	78	103	54				
		••••		, ,	100	34				
ELLOWSTONE RIVER at Billings *	MAY-JUL			94	115	75				
	MAY-SEP	4255.0	3983.0	93	116	75				
IGHORN RIVER at St. Xavier *	HAY-JUL	1651.0	2300.0	139	179	94				
201010 12451 90 301 104151 =	MAY-SEP	1833.0	2565.0	139	181	94 95				
	521	100310	2303.0	137	101	7.3				
ITTLE 8IGHORN RIVER near Hardin	HAY-JUL	137.0	185.0	135	190	89				
	MAY-SEP	157.0	213.0	135	194	94				
ONCHE DIVER -4 O1										
ONGUE RIVER at Oecker		218.0		116	174	55				
	MAI-SEP	244.0	280.0	114	178	57				
ELLOWSTONE RIVER at Miles City *	MAY-JUL	5391.0	5600.0	103	137	42				
	MAY-SEP	6273.0	6491.0	103	134	74				
OWOER RIVER at Moorehead	WAY DU	242.0	225. 2		4.75					
OWNER WINER OF HOUSEHARD	MAY-SED	212.0		110	175	54				
	HAT-SEP	233.0	262.0	112	176	55				
ELLOWSTONE RIVER near Sidney *	MAY-JUL	5947.0	6350.0	106	131	70				
,		6921.0			140	74				

	RESERVOIR STORAGE		(1000AF)		HATERSHED SM	онраск ан	ALYSIS	
RESERVOIR	CAPACITYI				WATERSHED	NO. COURSES AVE.O		AVERAGE
MYSTIC LAKE	21.0		1.0	2.4			157	95
COONEY	27.4	24.5	22.8	18.5	SHIELOS	10	89	53
BIGHORN LAKE	1356.0	709.1	851.8	633.1	80ULDER-STILLWATER	9	130	78
TONGUE RIVER	68.0	28.3	36.4	40.0	CLARK'S FORK-ROCK CREEK	22	158	98
					YELLOHSTONE above BIGHORN	49	138	82
					LITTLE BIGHORN	5	155	102
					WIND RIVER (Wyoming)	27	250	144
					BIGHORN RIVER (Wyoming)	32	206	112
					BIGHORN BASIN (Total)	55	208	119
					TONGUE RIVER (Myoming)	15	154	106
					FOWOER RIVER (Wyoming)	15	212	105
					YELLOWSTONE RIVER	116	168	98

^{*}Corrected for upstream diversions or changes in reservoir storage. Average is for 1961-80 period.





The Following Organizations Cooperate With The Soil Conservation Service In Snow Survey Work

Canadian

Department of the Environment Atmospheric Environment Service Water Management Service

British Columbia Ministry of Environment

Inventory and Engineering Branch, Hydrology Section

Alberta Environment

Technical Services Division

Federal

U.S. Department of Agriculture

Forest Service

U.S. Department of the Army

Corps of Engineers

U.S. Department of Commerce

NOAA, National Weather Service

National Environmental Satellite Service

U.S. Department of the Interior Bureau of Indian Affairs Fish and Wildlife Service Geological Survey National Park Service

Bureau of Reclamation U.S. Department of Energy

Bonneville Power Administration

State

Montana Conservation Districts

Montana Department of Fish, Wildlife, and Parks

Montana Department of Natural Resources and Conservation

Montana Department of State Lands

Montana State University - Agricultural Experiment Station

University of Montana - School of Forestry

Private

Big Sky of Montana Butte Water Company

Flathead Valley Community College

Montana Power Company

Pondera County Canal & Reservoir Company

Other organizations and individuals furnish information for the snow survey reports. Their cooperation is gratefully acknowledged.

UNITED STATES DEPARTMENT OF AGRICULTURE

SOIL CONSERVATION SERVICE SNOW SURVEY UNIT

Federal Bldg., Rm. 443 10 East Babcock Street Bozeman, MT 59715

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

THIRD-CLASS BULK RATE POSTAGE AND FEES PAID USDA - SCS

PERMIT NO G-267

THIRD CLASS MAIL

Montana Water Supply Outlook

and

Federal-State-Private Cooperative Snow Surveys



SOIL CONSERVATION SERVICE